



# AC1300 Mini Wireless MU-MIMO USB Adapter

Mini Size & Big Performance



Archer T3U



400Mbps + 867Mbps  
Dual Band Wi-Fi



MU-MIMO



Mini Design




USB 3.0

# Highlights

## AC1300 Dual Band Wi-Fi

The Archer T3U receives Wi-Fi signals on two separate bands for all your online needs. Choose the 2.4GHz band for up to 400Mbps of surfing, emailing and social media, or switch to 5GHz for up to 867Mbps of gaming, HD streaming and large file downloads.




## Mini, Mobile and Mighty

Much smaller than a flash drive, enjoy a stable and fast AC1300 Wi-Fi wherever you need it.



40.5mm

VS





65mm

# Highlights

## Boosted Throughput with MU-MIMO

MU-MIMO technology can provide two simultaneous data streams, significantly improving the throughput and efficiency of the entire network when working with a compatible MU-MIMO router.



# Features

## Speed

- **Ultimate Wi-Fi** – Speeds with 867Mbps at 5GHz and 400Mbps at 2.4GHz band are ideal for HD streaming video, lag-free gaming and large file downloads
- **MU-MIMO Technology** – Provides exceptional speed and performance even when multiple devices are connected to Wi-Fi
- **802.11ac Support** – Wi-Fi technology that is 3 times faster than 802.11n

## Security

- **Active Defense** – WPA/WPA2 encryption provides your Wi-Fi network with advanced protection against security threats

## Reliability

- **Dual Band** – Selectable 2.4GHz and 5GHz bands to avoid wireless signal interference
- **Super Speed USB 3.0 Port** – Up to 10x faster than USB 2.0

## Design

- **Mini design** – Archer T3U is very small and can be left in a computer's USB port once plugged in

## Ease of Use

- **Backwards Compatibility** – Supports routers utilizing 802.11a/b/g/n Wi-Fi standards

# Specifications

## Wireless

- Wireless Standard: IEEE 802.11b/g/n 2.4GHz, IEEE 802.11a/n/ac 5GHz
- Frequency: 2.4GHz, 5GHz
- Wireless Mode: Ad-Hoc / Infrastructure Mode
- Wireless Security: WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
- Modulation Technology: DBPSK, DQPSK, CCK, OFDM, 16-QAM, 64-QAM, 256-QAM

## Hardware

- Interface: USB 3.0
- LED: Status
- Dimensions: 1.59 × 0.78 × 0.41in. (40.5 × 19.72 × 10.29mm)

## Others

- Package Contents
  - AC1300 Mini Wireless MU-MIMO USB Adapter Archer T3U
  - Quick Installation Guide
  - Resource CD
- Certification
  - FCC, CE, RoHS
- System Requirements
  - Windows 10/8.1/8/7/XP, Mac OS X 10.9-10.13
- Environment
  - Operating Temperature: 0°C ~40°C (32°F ~104°F)
  - Storage Temperature: -40°C ~70°C (-40°F ~158°F)
  - Operating Humidity: 10%~90% non-condensing
  - Storage Humidity: 5%~90% non-condensing



Mac  
Support



For more information, please visit

<http://www.tp-link.com/en/products/details/Archer-T3U.html>

or scan the QR code left

Specifications are subject to change without notice. TP-Link is a registered trademark of TP-Link Technologies Co., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders. Copyright ©2018 TP-Link Technologies Co., Ltd. All rights reserved.

\*Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless data throughput and wireless coverage are not guaranteed and will vary as a result of 1) environmental factors, including building materials, physical objects, and obstacles, 2) network conditions, including local interference, volume and density of traffic, product location, network complexity, and network overhead, and 3) client limitations, including rated performance, location, connection quality, and client condition.

\*Use of MU-MIMO requires clients to also support MU-MIMO.

\*To ensure compatibility, you may need to update the adapter's drivers after an OS update. You can find our latest drivers in the download center at [tp-link.com/en/download-center](http://tp-link.com/en/download-center).

[www.tp-link.com](http://www.tp-link.com)